

Advances in Battery Technology for Electric Vehicles

Table of Contents

A Report by **NexantThinking™**

Process Evaluation/Research Planning (PERP) Program

PERP Report 2017S9 – Published October 2017

www.nexantthinking.com

Section	Page
1 Executive Summary	1
1.1 INTRODUCTION.....	1
1.2 CURRENT STATUS.....	2
1.2.1 Global Fleet	2
1.2.2 Grid Integration.....	4
1.3 ELECTRICITY	5
1.4 KEY SUCCESS FACTORS.....	6
1.5 RECHARGEABLE BATTERY TYPES	7
1.5.1 Lead Acid Batteries	7
1.5.2 Lithium-ion Batteries.....	8
1.5.3 Nickel Batteries	8
1.5.4 Summary	9
1.6 EMERGING TECHNOLOGY	10
1.7 BATTERY CONFIGURATIONS.....	10
1.7.1 Battery Design Limitations	12
1.8 ECONOMICS	13
1.8.1 Cell versus Pack.....	13
1.8.2 Manufacturing Scale.....	15
1.8.3 Investment Timeline	18
1.9 NON-ECONOMICS	21
1.9.1 Life Cycle Analysis (LCA).....	21
2 Introduction.....	27

2.1	BACKGROUND.....	27
2.2	HISTORICAL PERSPECTIVE	28
	2.2.1 Key Policies.....	34
	2.2.2 Key Milestones	34
2.3	CURRENT STATUS.....	37
	2.3.1 Global fleet	37
	2.3.2 Grid Integration.....	39
	2.3.3 Rechargeable Battery Types.....	40
2.4	KEY SUCCESS FACTORS.....	45
3	Battery Technology	46
	3.1 INTRODUCTION.....	46
	3.2 ELECTRICITY	46
	3.3 ELECTRODES	47
	3.4 CURRENT COLLECTORS	49
	3.4.1 Electrical Conductivity	49
	3.4.2 Electric Potential.....	49
	3.5 SEPARATOR	50
	3.6 ELECTROLYTE	51
	3.7 CHEMISTRY	51
	3.7.1 Lead Acid	51
	3.7.2 Nickel Metal.....	52
	3.7.3 Lithium-ion.....	53
	3.8 LEAD ACID	54
	3.8.1 Wet or “Flooded”	54
	3.8.2 Valve Regulated Lead Acid (VRLA)	54
	3.9 NICKEL-METAL	55
	3.10 LITHIUM-ION	56
	3.10.1 Cathodes	57
	3.10.2 Anodes	60
	3.10.3 Electrolyte.....	60
	3.10.4 Battery Configurations.....	61
	3.10.5 Safety	65
4	Commercial Technology.....	69
	4.1 LEAD ACID	69
	4.1.1 Flooded Lead Acid Batteries	69

4.1.2	VRLA	71
4.2	LITHIUM-ION	71
4.2.1	Panasonic/Tesla	74
4.2.2	LG Chem/Umicore.....	76
4.2.3	BYD	78
4.3	NICKEL-METAL	79
5	Emerging Technology	80
5.1	OVERVIEW	80
5.1.1	Solid State Lithium-ion	80
5.1.2	Lithium-air.....	80
5.1.3	Anode Conversion Materials	81
6	Commercial Market	82
6.1	INTRODUCTION.....	82
6.2	MAJOR MARKETS	82
6.2.1	China	82
6.2.2	The United States.....	83
6.2.3	Norway	83
6.3	TARGETS	84
6.4	PROJECTIONS.....	85
7	Economics.....	87
7.1	INTRODUCTION.....	87
7.2	BATTERY CHEMISTRY.....	88
7.3	CELL VERSUS PACK.....	89
7.4	MANUFACTURING SCALE	91
7.4.1	Investment Cost	91
7.5	INVESTMENT TIMELINE.....	94
7.5.1	Scenarios	94
7.5.2	Conclusions.....	94
8	Non-Economic Analysis	97
8.1	LIFE CYCLE ANALYSIS (LCA).....	97
8.2	DESIGN LIMITATIONS.....	103
9	References	108
Appendix		Page
A	PERP Program Title Index (2007-2017)	A-1

Figure	Page
1.1 Electric Vehicle Fleet versus Total Passenger Vehicle Fleet	2
1.2 Electric Vehicles by Region.....	3
1.3 Publicly Available EV Charging Point Worldwide.....	4
1.4 Filling/Charging Stations (Public Facilities Only) Relative to Passenger Vehicles, 2015	4
1.5 Vehicle Battery Key Success Factors	6
1.6 Typical Rechargeable Battery Types	7
1.7 Lead Acid Battery End-Use Application	8
1.8 Lithium-ion Battery End-Use Application, 2016.....	8
1.9 Battery Cell, Modules and Packs	10
1.10 Battery Pack Cost Breakdown against Designed Range (Miles).....	13
1.11 Battery Pack Cost by Cathode Chemistry.....	14
1.12 Adjusted Battery Investment and Production Cost against Manufacturing Scale (Design range of 300 miles; 90 kWh; NCA cathode)	16
1.13 Adjusted Battery Investment and Production Cost against Manufacturing Scale (Design range of 150 miles; 45 kWh; NMC 333 cathode).....	16
1.14 Adjusted Battery Investment and Production Cost against Manufacturing Scale	17
1.15 Global Electric Vehicle Fleet Projections	19
1.16 EV Fleet Projected Increase – Every 5 Years to 2030.....	19
1.17 Required Investment Levels Every 5 Years Based on Scenario 3	20
1.18 Typical Well-to-Wheel Analysis	21
1.19 Electricity Generation by Fuel Source, 2014.....	24
1.20 Cumulative Carbon Dioxide Emissions by Distance Travelled	24
1.21 Cumulative Carbon Dioxide Emissions by Distance Travelled (HEV against ICE).....	26
2.1 Net Energy Value (Thermal Output) by Fuel Source	31
2.2 Global Greenhouse Gas Emissions by Sector.....	34
2.3 Electric Vehicle Battery Pack Cost.....	35
2.4 Electric Vehicle Fleet versus Total Passenger Vehicle Fleet.....	37
2.5 Electric Vehicles by Region.....	38
2.6 Publicly Available EV Charging Point Worldwide.....	39
2.7 Filling/Charging Stations (Public Facilities Only) Relative to Passenger Vehicles, 2015	39
2.8 Typical Rechargeable Battery Types	41
2.9 Lead Acid Battery End-Use Application	42
2.10 Lead Acid Battery Suppliers	42
2.11 Lithium-ion Battery End-Use Application, 2016.....	43
2.12 Lithium-ion Battery Suppliers for BEVs (Including Buses), 2016	43
2.13 Vehicle Battery Key Success Factors	45
3.1 Electric Current Flow of a Battery Cell in an Electric Circuit	47
3.2 Illustrative Diagram of a Rechargeable Lithium-ion Electrochemical Cell	48
3.3 Lead Acid Battery Chemistry.....	52
3.4 Lead Acid Battery Charge/Discharge States.....	52
3.5 NiMH Battery Chemistry.....	52

3.6	NiMH Battery Charge/Discharge States.....	52
3.7	Lithium-ion Battery Chemistry	53
3.8	Lithium-ion Battery Charge/Discharge States	53
3.9	Battery Cell, Modules and Packs	62
3.10	Issues in Samsung’s Galaxy Note 7 Battery	65
3.11	Battery life value chain	66
3.12	Lithium-ion Cathodes Market Share (EV and Non-EV Market), 2016.....	67
3.13	Voltage Versus Capacity for Anode and Cathode.....	68
4.1	Plate Group or Cell.....	69
4.2	Battery Manufacture	70
4.3	Battery Manufacture – Cylinder.....	72
4.4	Battery Type Configuration Shapes – Coiling and Folding	73
4.5	Battery Type Configuration Shapes – Stacking	73
4.6	Tesla Cooling System of Model S Battery Module.....	75
4.7	Cross-Sectional View of Cooling System.....	76
4.8	Cells Made by Folding Process – Conventional.....	77
4.9	Cells Made by Stack & Fold Process – LG Chem.....	77
4.10	Battery Performance after 500 Cycles	77
6.1	Global Electric Vehicle Fleet Projections	85
6.2	Projected Global Passenger Vehicle Fleet Composition	86
7.1	Cost Share of Lithium-ion Battery Pack Components against Designed Range	88
7.2	Secondary Raw Material Prices	88
7.3	Battery Pack Cost Breakdown Against Designed Range	89
7.4	Battery Pack Cost by Cathode Chemistry.....	89
7.5	Adjusted Battery Investment and Production Cost Against Manufacturing Scale	92
7.6	Adjusted Battery Investment and Production Cost Against Manufacturing Scale	92
7.7	Adjusted Battery Investment and Production Cost Against Manufacturing Scale	93
7.8	Global Electric Vehicle Fleet Projections	95
7.9	EV Fleet Projected Increase – Every 5 Years to 2030.....	95
7.10	Required Investment Levels Every 5 Years Based on Scenario 3	96
8.1	Typical well-to-wheel analysis.....	97
8.2	Electricity Generation by Fuel Source, 2014.....	100
8.3	Cumulative Carbon Dioxide Emissions by Distance Travelled	100
8.4	Cumulative Carbon Dioxide Emissions by Distance Travelled	102
8.5	Current Battery Configuration of Select EVs against Vehicle Range Design (Miles)	104

Table	Page
1.1 Key Electricity Terminology	5
1.2 Property Overview of Key Rechargeable Battery Types.....	9
1.3 Battery Type Key Parameters	11
1.4 Factors that Influence Battery Pack Rating.....	12
1.5 Investment Costs against Design Battery Rating.....	15
1.6 Investment Scenarios for Battery Manufacturing Plants	18
1.7 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	22
1.8 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	23
1.9 Carbon Dioxide Emissions Reduction – BEV versus ICE	25
1.10 Carbon Dioxide Emissions from HEVs.....	25
1.11 Carbon Dioxide Emissions Reduction – HEV versus ICE.....	26
2.1 Key Event Timeline – The Rise of EVs	29
2.2 Key Event Timeline – Demise of EVs	30
2.3 Early 1900s Vehicle Comparison	30
2.4 Select Early 1970s Vehicle Comparison	32
2.5 Key Event Timeline – Re-emergence of EVs.....	33
2.6 Select Vehicle (2017 Models) Comparison	36
2.7 Property Overview of Key Rechargeable Battery Types.....	44
3.1 Key Electricity Terminology	46
3.2 Electrical Conductivity Properties of Select Materials	49
3.3 Typical Properties of Select Commercial Separators	50
3.4 General Requirements for Lithium-ion Battery Separator.....	50
3.5 Lithium-ion Based Cathode Under Research.....	59
3.6 Battery Type Key Parameters	63
3.7 Factors that Influence Battery Pack Rating.....	64
3.8 Lithium Cathode Comparison	68
6.1 Electric Vehicle Deployment Target by Country.....	84
6.2 Targets Announced by OEMs	85
7.1 Battery Rating Design and Vehicle Range Design	87
7.2 Investment Costs against Design Battery Rating.....	91
7.3 Investment Scenarios for Battery Manufacturing Plants	94
8.1 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	98
8.2 Carbon Dioxide Emissions by Fuel Source – ICE Engines.....	99
8.3 Carbon Dioxide Emissions Reduction – BEV versus ICE	101
8.4 Carbon dioxide emissions from HEVs.....	101
8.5 Carbon dioxide emissions reduction – HEV versus ICE	102
8.6 Battery Configuration and Specification of Select EVs	103

Nexant Thinking™

Process Evaluation/Research Planning



The NexantThinking™ Process Evaluation/Research Planning (PERP) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. PERP reports are available as a subscription program or on a single report basis.

Contact Details:

New York:

Marcos Nogueira Cesar, Global Vice President, E&CA: Nexant Thinking™

Phone: [+ 1-914-609-0324](tel:+1-914-609-0324), e-mail: mcesar@nexant.com

Erica Hill, Client Services Coordinator, Americas, E&CA: Nexant Thinking™

Phone: [+1-914-609-0386](tel:+1-914-609-0386), email: ehill@nexant.com

London

Polly Hamilton, Global Client Services Coordinator, E&CA: Nexant Thinking™

Phone: [+ 44 \(0\) 20 7950-1541](tel:+44-20-7950-1541), e-mail: phamilton@nexant.com

Nexant, Inc. (www.nexant.com) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, Nexant has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. Nexant has its main offices in San Francisco (California), White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by Nexant Inc. 2017. All Rights Reserved.